

## Underdecks:

### Chain locker:

80 m 13mm chain  
Storage for paint  
Anchor rope 100 m

Glass Epoxy chain storage  
Steel watertight bulkhead. with watertight door



### Fore cabin:

3 berths  
Drawer  
Lockers

Sofa (storage underneath)  
Central heating radiator



### Head:

Baby Blake toilet (can flush out, as well as to a holding tank)

Washing bowl with pressurized water system (hot and cold )

Lockers

Shower

Whale gulper shower discharge pump

Main discharge valves (holding tank, toilet)

Central heating radiator

Door between head and fore cabin



## Saloon:

Port side U sofa (storage underneath)

Table

Chair

Starboard side sofa (storage lockers underneath + behind back)

Central heating radiator

Trawler lamp(paraffin lamp)

Bulkhead paraffin lamp

Several brass Jack stays

Door between saloon and fore cabin

Stairs to deck



## Navigation area:

Desk + seat

### Navigational instruments:

Navtex (Vecom)

GPS (furuno gp 31)

SS Receiver

Laptop station (C-maps, MScan,

OpenCPN)

Barograph

2 clocks

Central heating radiator



## Engine room:

DAF diesel 120 hp, PRM gearbox. Inter cooling, water cooled heat exchanger, water cooled exhaust (Jabsco pump)

Mitsubishi Generator set ( Mec Alta generator) 33hp , 220 V 6 KVA

Self priming drinking water-pump

Boiler rvs, 60liter, (heated by engine or Webasto 2010 heating system)

Pump-out and deck-wash system.( 2hp 24V centrifugal pump + 2 diaphragm pumps)

Webasto 2010 heater (central heating system with radiators)

4 Batteries 108 Ah for general purpose (2 sets of 24V)

2 Batteries 105 AH starting (1 set of 24 V)

2 Battery boxes (1 stainless steel, 1 plywood epoxy)

Victon inverter 24 to 220, 1000W

Victron battery loader, 75 A

Diesel tank 1000 l

Water tank 1000 l

Compressor ( horn and general purpose)

Steel drawers for tool storage

Dry /wet vacuum cleaner.

Vice

Steel watertight bulkhead between saloon and engine room

## Galley:

Stainless Eno gas cooker (2 burners, grill, oven)

Cooker hood above

Safety belt

Working bench with 2 sinks

Foot galley pump (cold)

Pressurized water system (hot and cold)

Ice box with drain pump

Drawers, lockers (with cooking utensils)

Central heating radiator

Bin (in locker)

Fire blanket, Fire extinguisher (foam)



## Aft cabin:

Double berth

Pilot berth

Lockers

Sofa (storage underneath + behind back)

Lockers

Fire extinguisher (foam)

Central heating radiator

Access to gearbox

Stairs to deck (cockpit)



## Navigation area in companionway:

GPS Furuno GP31

Radar Furuno

Depth sounder (Navman)

VHF Simrad

Clock

VGA screen connected to laptop

Switch panel

Engine control panel





## Deck layout:

Steel deck covered with

150/ 26mm Iroko

Manual anchor winch (2 speed) for 80 m  
13mm chain

Fisherman anchor (65 kg)  
Bruce anchor (50kg)

Samson post with bowsprit roller

Bronze winch (jib traveler)

Iroko fore hatch with Fresnel porthole  
Mushroom ventilator (bronze)

Skylight over saloon

Companionway (sliding hatch)to saloon

Polyester dinghy (sail and oar) with davit

Engine room construction + skylight over aft cabin  
Do rade vents, gps mouse, Furuno gps antenna,  
Horn (compressed air)  
Live-raft (Plastimo Offshore 6 pers.)

Companionway (sliding hatch) to aft cabin  
Navigation area in companionway

Cockpit with engine control  
Tiller

Horse with rubber fenders

Flagpole with Furuno GPS antenna on top

4 Bronze 2 speed sheet winches  
2 Bronze 3 speed sheet winches



## **Rigging:**

All spars made off clear and better Oregon pine,  
glued with epoxy.

Lower mast: 12.5 m. (solid with electric wiring inside)

Topmast: 8 m (solid with electric wiring inside)

Bowsprit : 8 m (solid)

Boom: 10.5m.(solid)

Gaff : 8m (hollow reinforced with glass epoxy)

Staysail boom: 5 m

Spinnaker boom: 7.5 m

Mast bands and fittings of stainless steel

**Shrouds:** Stainless wire

Forestay: 19 mm.

Shrouds: 16mm

Topmaststay: 14 mm

Backstay: 14 mm

Flying jibstay: 8 mm

Bowspritstays: 12 mm

Bobstay chain: 10mm

Bronze turnbuckles

Traditional ash blocks with stainless steel fittings

Traditional rope and sheets.

Purchasers on peak and throat halyards

Dyneema boom preventer.

Dyneema pendants

All necessary navigation lights.

Torch

Deck lights

Radar dome ( Furunu 1621).

SSB antenna

VHF antenna

Compass

Selftailing winch on boom for topsail sheet and 3° reef

Winch for jib purchase (wire)

Winch for jib traveler

Many bronze pins

Wooden clamps

## Sails:

Mainsail: 105 sqm

Staysail: 25 sqm

Jib 1: 35 sqm

Jib 2 : 25 sqm

Fying Jib: 25 sqm

Topsail: 28 sqm

Storm Jib: 12 sqm

Trysail: 16 sqm

Extra light weather, fore sail: 70 sqm.

